

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
19 December 2002 (19.12.2002)

PCT

(10) International Publication Number
WO 02/101544 A2

(51) International Patent Classification: G06F 9/44

(21) International Application Number: PCT/GB02/02559

(22) International Filing Date: 6 June 2002 (06.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0113946.8 8 June 2001 (08.06.2001) GB(71) Applicant (for all designated States except US): THE
SECRETARY OF STATE FOR DEFENCE [GB/GB];
Whitehall, London SW1A 2HB (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): TUDOR, Nicholas,
James [GB/GB]; Intellectual Property Rights Group,
Poplar 2, DPA MOD Abbey Wood # 2218, Bristol BS34
8JH (GB).(74) Agent: SKELTON, Stephen, Richard; D/MPR Formali-
ties Section, Poplar 2, MOD Abbey Wood #2218, Bristol
BS34 8JH (GB).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK,
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,
MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI,
SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN,
YU, ZA, ZM, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that reportFor two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: AUTOMATIC DEVELOPMENT OF SOFTWARE CODES

(57) Abstract: Development of verified software codes is a very laborious process and is important especially where safety critical
applications are concerned. A method is provided for the generation of verified software code against a requirement, which method
comprises the steps of: i. using software to generate a state model of the requirement, ii. using the state model to develop a software

Best Available Copy

WO 02/101544

PCT/GB02/02559

AUTOMATIC DEVELOPMENT OF SOFTWARE CODES

The present invention relates to a methodology and its implementation in the development of software based codes, which may, for example, be used for
5 the control of systems such as avionics.

Software based implementation of control functions in hardware has become increasingly complex over the years, with increased reliance on software to provide ever more complex control operations. This has resulted in the
10 development of very large amounts of software code to provide for the complex control operations.

One such example is the development of software code for implementation within the avionics systems of modern fighter aircraft, such as the Eurofighter.
15 The performance characteristics of such aircraft are enabled by their operating in an aerodynamically unstable state. This requires the assistance of large amounts of extremely complex computer software. Development and certification of such software can be a very time consuming process. In the case of Eurofighter, the flight control system has been under development for
20 over 12 years. It is known that no software, including that for safety critical systems, can be categorically confirmed as being free of errors or bugs. This is evidenced by the numerous spectacular failures of land, sea and air based real and non-real time systems that have occurred in the past. Consequently, there is needed an extensive certification process to determine that the
25 software operates in the expected manner under all circumstances. Such certification will be required when the software is initially developed and at any time when subsequent modifications are made to the software or the system within which it operates. This will aid ensuring that the manner of operation of the software is certified as correct.

30

The requirements for software are derived from a system specification. Once the software requirements have been finalised, a specification can be written as a mathematical representation of the software requirements. Software

WO 02/101544

PCT/GB02/02559

critical software in particular, this is a painstaking process normally undertaken manually. This is a very inefficient method of developing any software.

5 Around 20 years ago a mathematical approach to software development, known as Formal Methods (FM), was emerging as a potential method for gaining assurance that the software code would accurately reflect the specification. FM employs a formal specification which is written in a mathematical representation. From the formal specification it is possible,
10 through a variety of mathematical techniques, to produce software code which effects the formal specification exactly. This mathematical technique can be subjected to proof - a technique called verification. However, FM has not been developed into a widely usable format and has largely remained in the realm of academics because FM are very difficult to understand. FM employs
15 a conceptually difficult branch of mathematics, which probably gave rise to a reluctance to use and hence gain wider acceptance. In particular, providing proof is very laborious, time consuming and an extremely skilled process. Furthermore, FM can be unwieldy even for small applications and is hampered by a lack of practitioners, which thereby makes it expensive to
20 undertake.

A consequence of the above has been a distinct reluctance for manufacturers to implement safety critical processes by way of software. However, in the last few years work has progressed in the field of automated software
25 development. In particular, the Defence Evaluation & Research Agency (DERA) at Malvern, Worcs, England has been developing tools for the automatic derivation of formally verified flight control law code. This approach is being used to verify the flight control system code for Eurofighter. It operates by generating a Simulink® model using existing commercial software
30 packages. Simulink® forms part of a commercial software package known as MATLAB® which is a product of The MathWorks Inc. The Simulink® model is a mathematical representation of the software requirements. Simulink® automatically generates SPARK Ada code, SPARK Ada being a computer

WO 02/101544

PCT/GB02/02559

programming language. The Simulink® model is also used by a tool called ClawZ to automatically generate a formal specification in a mathematical language called 'Z'. ClawZ is a tool developed by DERA that translates the expression of control law models between the Simulink® model and 'Z'. The formal specification in 'Z' and the SPARK Ada are then compared to one another, with the SPARK Ada being altered as required to construct a compliance argument using the compliance notation tool within ProofPower®; this is done automatically. ProofPower® is a product of Lemma 1 Ltd. The compliance notation tool then generates the altered SPARK Ada as compilable files and verification conditions (VCs). By using the theorem prover part of ProofPower®, it is possible to perform software-tool assisted mathematical proof that the VCs are mathematically 'true'. This thereby confirms or otherwise, that the altered SPARK Ada code is a correct representation of the formal specification and hence the Simulink® model. Much of the proof effort is automated.

Independently of the above there has been some work on the development of commercial software packages by the use of state-based modelling, with state models being developed from the software requirements.

The concept of a state model is best explained by way of example; the example chosen herein is that of a thrust reverser on a jet engine of an aircraft. A state model of the thrust reverser would model each 'state' that the thrust reverser can occupy [e.g. State 1: Disengaged; State 2: Partly engaged; State 3: Fully engaged], with a corresponding list of 'rules' that govern allowable actions within and transition between each state. The same principle can also be applied to the development and operation of software code.

Accordingly there is provided a method for the generation of verified software code against a requirement, which method comprises the steps of:

using software to generate a state model of the requirement.

WO 02/101544

PCT/GB02/02559

- li. using the state model to develop a software code representation of the state model and a mathematical representation of the state model,
- lii. comparing the software code and mathematical representations to verify that the software code representation is a correct implementation of the mathematical representation.

When developing systems comprising multiple, simultaneously active components that interact with one another, errors such as live-lock and dead-lock can occur. Such errors can lead to poor performance, unpredictable behaviour and system failure. To avoid such problems, a technique known as Model Checking can be employed, Model Checking being a technique for formally verifying finite-state concurrent systems. Accordingly, the above method can comprise an additional step of performing Model Checking to demonstrate absence of state-related errors such as dead-lock and live-lock.

15

The method will enable the automated development of software code by the use of state-based modelling. Although this will be especially useful in the field of safety critical software, there is no reason why it could not be applied to the development of any software. It will result in considerable development cost savings for software, through allowing development to be achieved in much shortened time scales compared to the use of existing methods (such as FM). It will also be of particular benefit in reducing the through-life costs of equipment, as any changes can be made at the requirement level and the majority of the remaining effort is automated. In particular, the method will be useful in the field of avionics systems. Accordingly, the method may be employed such that the verified software code produced is software control code.

25

The state model can be developed using an appropriate commercial software package such as Stateflow[®]. Stateflow[®] is a product of The MathWorks Inc. The software code representation of the state model can be developed using an auto-generated safe subset of language which can accommodate the requirements of concurrent programming such as the Ravenscar profile for

30

WO 02/101544

PCT/GB02/02559

Ada (currently referred to as 'RavenSPARK'), or some other similar approach. The mathematical representation of the state model can be developed using an auto-generated formal language such as 'Circus' or some other comparable formal language. 'Circus' is a language which essentially
5 combines two other formal languages, namely Communicating Sequential Processes (CSP) and 'Z'. Model Checking can be performed using a tool such as FDR (Failures-Divergence Refinement).

According to a further embodiment of the present invention, there is provided
10 a method for the generation of verified software code, which method comprises the steps of:

- i. developing a statement of requirements,
- ii. using software to generate a state model from the statement of
15 requirements,
- iii. developing from the state model a formal specification in a mathematical representation,
- iv. using the state model to develop software code which represents the state model,
- 20 v. constructing a compliance argument using the mathematical representation and the developed software code to provide verification conditions,
- vi. generating new software code where there is disparity between the mathematical representation and the developed software code,
- 25 vii. discharging the verification conditions to prove that the new software code is a correct representation of the mathematical representation and hence the statement of requirements.

The above method can comprise an additional step of performing model
30 checking on the formal specification.

The present invention is seen as being of particular benefit in the field of avionics systems, in particular through implementation in Advanced Avionics

WO 02/101544

PCT/GB02/02559

functions from discrete systems, which are then implemented on 'pooled' resources. This enables diverse systems such as Flight Control, Armament Control and Sensing (such as radar) to share common resources. An AAA system has inherent redundancy, which enables the system to reconfigure itself to cope with the failure of multiple hardware components whilst retaining functionality. However, the features of AAA which provide such inherent redundancy make certification of the underlying software very difficult. The main driver for AAA is the lack of military hardware components. Therefore, commercial-off-the-shelf (COTS) components have to be used. The cost benefits of using COTS based re-configurable avionics systems are that they are easy to upgrade with the consequent long-term benefits. However, the software which gives such a system its functionality has to be platform (micro-processor) independent and as far as possible the software design has to be automated and readily certifiable. It also adopts an open system approach and therefore may be applied very widely. The present invention has the objective of generating software code that is certifiable against the specification in each instance. Other approaches have a high risk of being uncertifiable, with the incurred costs of development etc having been wasted. The present invention enables a system designer to make numerous iterations to a design, with only small costs being involved in achieving a certified system for each iteration. This is particularly useful for in-service safety critical software, which in the past has been extremely costly to modify. Using the present invention, any modification is relatively straightforward as it is automated and the result is certifiable. This also has major implications for upgrades, which may need to be achieved in operationally significant timescales. This is especially true in the field of upgrades to military equipment, e.g. fighter aircraft avionics, during a time of conflict. However, the present invention may also be beneficial in other areas such as the automotive industry where product recall is extremely expensive.

30

The present invention will now be described by way of example only and with reference to the accompanying drawings of which:

WO 02/101544

PCT/GB02/02559

Figure 1 shows a schematic example of Advanced Avionics Architecture (AAA) implemented in software,

Figure 2 shows schematically a known methodology used in the development of certified software control codes, namely a conventional ClawZ based approach,

Figure 3 shows schematically the method of the present invention used in the development of certified software control codes, namely the use of state-based modelling, and

Figure 4 shows schematically an overview of the application of the present invention as it may be applied to AAA.

The software within AAA as shown in Figure 1 can be thought of as three discrete sections. They comprise a real time operating system layer (1) as shown by the dotted line, application layer software (2) as shown by the dotted line and AAA control software (3). The operating system layer (1) comprises an operating system (1a). The application layer software (2) comprises a number of functional applications (4). The operating system layer (1) and the application layer software (2) are linked together through the AAA control software (3), the AAA control software (3) comprising application management code (5) associated with the application layer software (2) and generic system management software (6) associated with the operating system layer (1). All three sections are supported by a board support layer (7) and a processor (8).

In order to certify AAA software each of the three sections has to be certified. The key to AAA is platform independence. Accordingly, it is important that the three sections are insulated from the processor (8) as far as possible. The AAA control software (3) allocates resource priorities as required and reassigns functionality to processors on hardware failure. It is broadly an 'if then else' function and prioritises according to pre-coded algorithms. This

WO 02/101544

PCT/GB02/02559

as the functions cannot be segregated without undermining the principal advantages of AAA. This makes certification of AAA control code software and application software inherently difficult to achieve.

- 5 As shown in Figure 2 of a known methodology, using specialist software makes it possible to generate a Simulink® model (9) of the developed application layer software (2). This model may then be used to automatically generate a software code representation in SPARK Ada (10) and a mathematical representation in ClawZ 'Z' file form (11) of the Simulink®
- 10 model (9). The software code representation (10) is then compared with the ClawZ 'Z' file (11) to construct compliance arguments in ProofPower® and to generate verification conditions as shown by (12). If it is verified that the ClawZ 'Z' file (11) and the software code representation (10) comply, then the verification conditions are discharged (13) providing the required certification.

15

- Figure 3 of the method of the present invention shows that by inputting the requirements of a control system to a suitable software package, for example Stateflow®, a state model (14) may then be directly developed. This state model (14) is then used to provide an input for the automatic generation of
- 20 CSP/Z files (15) which are a mathematical representation of the state model (14). The state model (14) is also used to provide for the automatic generation of RavenSPARK Ada software control codes (16). The CSP/Z files (15) and the software control codes (16) are used to construct a compliance argument in ProofPower® which will generate verification
- 25 conditions as shown by (17). If it is verified that the CSP/Z files (15) and the software control codes (16) comply, then the verification conditions are discharged (18) providing the required certification evidence. Finally, Model Checking (not shown) will show if there are any state-related errors.

- 30 Figure 4 shows schematically that AAA (19) may be used to generate Stateflow® input (20) for a flight control system (21), an armament control system (22) and a utility control system (23). The flight control system (21)

can then be readily converted to a ClawZ file (24). The armament control

WO 02/101544

PCT/GB02/02559

system (22) and the utility control system (23) are shown as having Stateflow[®] outputs (25, 26 respectively).

WO 02/101544

PCT/GB02/02559

Claims

1. A method for the generation of verified software code against a requirement, which method comprises the steps of:
 - i. using software to generate a state model of the requirement,
 - ii. using the state model to develop a software code representation of the state model and a mathematical representation of the state model,
 - iii. comparing the software code and mathematical representations to verify that the software code representation is a correct implementation of the mathematical representation.
2. A method according to claim 1, wherein the method comprises an additional step of performing Model Checking to demonstrate absence of state-related errors such as dead-lock and live-lock.
3. A method according to either of claims 1 or 2, wherein the software used to generate the state model of the requirement is Stateflow®.
4. A method according to any one of claims 1 to 3, wherein the software code representation of the state model is produced using RavenSPARK Ada.
5. A method according to any one of claims 1 to 4, wherein the mathematical representation of the state model is produced using 'Circus' or some other comparable formal language.
6. A method according to any one of the preceding claims, wherein the verified software code produced is a software control code.

WO 02/101544

PCT/GB02/02559

7. A method for the generation of verified software code, which method comprises the steps of:
- i. developing a statement of requirements,
 - ii. using software to generate a state model from the statement of requirements,
 - iii. developing from the state model a formal specification in a mathematical representation,
 - iv. using the state model to develop software code which represents the state model,
 - v. constructing a compliance argument using the mathematical representation and the developed software code to provide verification conditions,
 - vi. generating new software code where there is disparity between the mathematical representation and the developed software code,
 - vii. discharging the verification conditions to prove that the new software code is a correct representation of the mathematical representation and hence the statement of requirements.
8. A method as claimed in claim 7, wherein the method comprises an additional step of performing Model Checking on the formal specification.
9. Verified software code generated in accordance with any one of claims 1 to 8.

WO 02/101544

PCT/GB02/02559

1/3

Fig.1.





Fig.2.




WO 02/101544

PCT/GB02/02559

2/3

Fig.3.




WO 02/101544

PCT/GB02/02559

3/3

Fig. 4.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
19 December 2002 (19.12.2002)

PCT

(10) International Publication Number
WO 2002/101544 A3

(51) International Patent Classification⁷: G06F 9/44

(21) International Application Number:
PCT/GB2002/002559

(22) International Filing Date: 6 June 2002 (06.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0113946.8 8 June 2001 (08.06.2001) GB

(71) Applicant (for all designated States except US): **THE SECRETARY OF STATE FOR DEFENCE** [GB/GB]; Whitehall, London SW1A 2HB (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **TUDOR, Nicholas, James** [GB/GB]; Intellectual Property Rights Group, Poplar 2, DPA MOD Abbey Wood # 2218, Bristol BS34 8JH (GB).

(74) Agent: **SKELTON, Stephen, Richard**; D/PR Formalities Section, Poplar 2, MOD Abbey Wood #2218, Bristol BS34 8JH (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
8 January 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AUTOMATIC DEVELOPMENT OF SOFTWARE CODES

(57) Abstract: Development of verified software codes is a very laborious process and is important especially where safety critical applications are concerned. A method is provided for the generation of verified software code against a requirement, which method comprises the steps of: i. using software to generate a state model of the requirement, ii. using the state model to develop a software code representation of the state model and a mathematical representation of the state model, iii. comparing the software code and

2002/101544 A3

INTERNATIONAL SEARCH REPORT

Internat. Application No.
PCT/GB 02/02559

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G06F9/44

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, INSPEC, IBM-TDB

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 540 487 A (TELEVERKET) 5 May 1993 (1993-05-05) page 3, line 44 -page 4, line 56 --- -/-	1-9

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

31 October 2003

Date of mailing of the international search report

06/11/2003

Name and mailing address of the ISA

Authorized officer

INTERNATIONAL SEARCH REPORT

 International application No
 PCT/GB 02/02559

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ABOWD G D ET AL: "A FORMAL TECHNIQUE FOR AUTOMATED DIALOGUE DEVELOPMENT" DIS '95. SYMPOSIUM ON DESIGNING INTERACTIVE SYSTEMS: PROCESSES, PRACTICES, METHODS, AND TECHNIQUES. ANN ARBOR, AUG. 23 - 25, 1995, SYMPOSIUM ON DESIGNING INTERACTIVE SYSTEMS. (DIS), NEW YORK, ACM, US, 23 August 1995 (1995-08-23), pages 219-226, XP000697151 ISBN: 0-89791-673-5 page 223, left-hand column, line 4 -right-hand column, line 20	1-9
A	page 223, right-hand column, line 38 -page 224, left-hand column, line 5	2
A	KATAYMAM T: "A HIERARCHICAL AND FUNCTIONAL SOFTWARE PROCESS DESCRIPTION AND ITS ENACTION" PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON SOFTWARE ENGINEERING. PITTSBURGH, MAY 16 - 18, 1989, WASHINGTON, IEEE COMP. SOC. PRESS, US, vol. CONF. 11, 16 May 1989 (1989-05-16), pages 343-352, XP000089432 ISBN: 0-89791-258-6 the whole document	1-9
A	US 5 831 853 A (BOBROW DANIEL G ET AL) 3 November 1998 (1998-11-03) column 2, line 18 - line 67	1-9

INTERNATIONAL SEARCH REPORT

Internati
application No
PCT/GB 02/02559

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0540487 A	05-05-1993	EP 0540487 A2	05-05-1993
		JP 6103046 A	15-04-1994
		SE 9103210 A	02-05-1993
		US 6327551 B1	04-12-2001
US 5831853 A	03-11-1998	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.